Author Index

AKABANE, T. *see* YASUI, K.

AKBAR, A.N., AMLOT, P.L., TIMMS, A., LOMBARDI, G., LECHLER, R. & JANOSSY, G. The development of primed/memory $CD8^+$ lymphocytes *in vito* and in rejecting kidneys after transplantation, 225

ÅKESSON, A. *see* NÄSSBERGER, L.

AKOUN, G. *see* CADRANEL, J.

AL-KASSAB, A.S. & RAZIUDDIN, S. Immune activation and T cell subset abnormalities in circulation of patients with recently diagnosed type I diabetes mellitus, 267

ALFAHAM, M. *see* EDWARDS, J.H.

ALGUERO, A. *see* GELPI, C.

ALLOUCHE, M., LUNARDI-ISKANDAR, Y., VARELA-MILLOT, C., ITZHAKI, M., CORNUET, P., MEYER, P., JASMIN, C. & GEORGOULIAS, V. Effect of phorbol myristate acetate on T cell colony formation, interleukin-2 (IL-2) receptor expression and IL-2 production by cells from, 200

ALM, G. *see* KARLSSON-PARRA, A.

ALTMAN, J. *see* LEHUEN, A.

AMLOT, P.L. *see* AKBAR, A.N.

ANDERS, S. *see* HAAS, H.

ANDRIEU, J.M. *see* ISRAËL-BIET, D.

ANGELES MARTINEZ, M. *see* GELPI, C.

AOYAGI, T. *see* ITO, S.

ARAKAWA, M. *see* ITO, S.

ARDAILLOU, R. *see* CADRANEL, J.

ASANO, T., YOSHIKAI, Y., MATSUMOTO, K., MATUZAKI, G. & NOMOTO, K. Subpopulations of $CD4^+$ cells in lpr/lpr mice: differences in expression of T cell receptor/CD3 complex and proliferative responses, 90

AURIAULT, C. *see* DAMONNEVILLE, M.

AYED, K. *see* HAMZAOUI, K.

BACH, J.-F. *see* LEHUEN, A.

BAKHIET, M., OLSSON, T., VAN DER MEIDE, P. & KRISTENSSON, K. Depletion of $CD8^+$ cells suppresses growth of *Treponema brucei brucei* and interferon-gamma production in infected rats, 195

BALOW, J.E. *see* MILLER, F.W.

BARAKAT, S., BRIAND, J.-P., WEBER, J.C., VAN REGENMORTEL, M.H.V. & MULLER, S. Recognition of synthetic peptides of Sm-D autoantigen by lupus sera, 256

BARBIERI, S.A. *see* MILLER, F.W.

BASILE, J.-P. *see* VINCENT, C.

BAUD, L. *see* CADRANEL, J.

BAYSTON, K.F., HUBY, R. & COHEN, J. Sequential measurement of the murine acute-phase protein serum anyloid P component (SAP) as an indicator of graft-*versus*-host disease following allogeneic bone marrow transplantation, 329

BEATSON, D. *see* DALGLEISH, A.

BEATTY, D.W. *see* SAMSON, G.R.

BELDJORD, K. *see* ISRAËL-BIET, D.

BERG, P.A. *see* KLEIN, R.

BHAKDI, S. *se* HUGO, F.

BIBBY, N. *see* REDDY, S.

BLOUNT, S., GRIFFITHS, H., EMERY, P. & LUNEC, J. Reactive oxygen species modify human DNA, eliciting a more discriminating antigen for the diagnosis of systemic lupus erythematosus, 384

BOHM, L. *see* MONESTIER, M.

BORNKAMM, G.W. *see* HAAS, H.

BOWMAN, C. *see* PUSEY, C.D.

BRADDOCK, D. *see* TAYLOR, G.M.

BRENCHLEY, P. *see* TAYLOR, G.M.

BRENNAN, F.M., CHANTRY, D., TURNER, M., FOXWELL, B., MAINI, R. & FELDMANN, M. Detection of transforming growth factor-beta in rheumatoid arthritis synovial tissue: lack of effect on spontaneous cytokine production in joint cell cultures, 278

BRIAND, J.-P. *see* BARAKAT, S.

BROWN, J.C. *see* MURRAY, J.S.

BUCKLE, A.M., JAYARAM, Y. & HOGG, N. Colony-stimulating factors and interferon-gamma differentially affect cell surface molecules shared by monocytes and neutrophils, 339

BURMAN, P. *see* KARLSSON-PARRA, A.

BUURMAN, W.A. *see* LEEUWENBERG, J.F.M.

CADRANEL, J., PHILLIPPE, C., PEREZ, J., MILLERON, B., AKOUN, G., ARDAILLOU, R. & BAUD, L. *In vitro* production of tumour necrosis factor and prostaglandin E2 by peripheral blood mononuclear cells from tuberculosis patients, 310

CAPRON A. *see* DAMONNEVILLE, M.

CARNAUD, C. *see* LEHUEN, A.

CHANTRY, D. *see* BRENNAN, F.M.

CHAPPLE, M.R. & MACLENNAN, I.C.M. A phenotypic study of B lymphocyte subpopulations in human bone marrow, 166

CHOY, M.-Y. *see* MACDONALD, T.T.

CHUANG, J.C., YU, C.L. & WANG, S.R. Modulation of human lymphocyte proliferation by amino acids, 173

CLARKE, J. *see* HAYWARD, A.R.

CLEMENT, M.J. *see* EDWARDS, J.H.

CLERIGUE, M., PISA, P., TSAI, L. & HANSON, M. Effects of interleukin-2 and interleukin-2-activated cells on *in vitro* myelopoiesis, 459

COHEN, J. *see* BAYSTON, K.F.

COLLINS, F.M. *see* STOKES, R.W.

COOKE, A. *see* MACDONALD, T.T.

COPE, E.M.W. & DILLY, S.A. Kupffer cell numbers during human development, 485

CORNUET, P. *see* ALLOUCHE, M.

COSYNS, M. *see* HAYWARD, A.R.

D'SOUZA, S.W. *see* TAYLOR, G.M.

DALGLEISH, A., SINCLAIR, A., STEEL, M., BEATSON, D., LUDLAM, C. & HABESHAW, J. Failure of ADCC to predict HIV-associated disease progression or outcome in a haemophiliac cohort, 5

DAMONNEVILLE, M., MONTÉ, D., AURIAULT, C. & CAPRON, A. The neuropeptide substance P stimulates the effector functions of platelets, 346

DANESE, C. *see* FAMULARO, G.

DAZZA, M.C. *see* LEVACHER, M.

DE GROOT, C.J.A. *see* VOORTHUIS, J.A.C.

DE TRIBOLET, N. *see* KUPPNER, M.C.

DE WOLF-PEETERS, C. *see* DELABIE, J.

DEBBAS, M.E. *see* MONESTIER, M.

DEGRASSI, A. *see* MARIANI, E.

DEGUCHI, Y., SHIBATA, N. & KISHIMOTO, S. Elevated transcription of heat shock protein gene in scleroderma fibroblasts, 97

DEGUCHI, Y.I,, SHIBATA, N. & KISHIMOTO, S. Enhanced expression of the tumour necrosis factor/cachectin gene in peripheral blood mononuclear cells from patients with systemic vasculitis, 311

DELABIE, J., DE WOLF-PEETERS, C., VAN DEN OORD, J.J. & DESMET, V.J. Differential expression of the calcium binding proteins MRP8 and MRP 14 in granulomatous conditions: an immunohistochemical study, 123

DESMET, V.J. *see* DELABIE, J.

DIJKSTRA, C.D. *see* VOORTHUIS, J.A.C.

DILLY, S.A. *see* COPE, E.M.W.

DILLY, S.A., JAGGER, C.J. & SLOANE, J.P. Lymphocyte populations in autopsy bone marrow sections from recipients of allogeneic marrow and non-transplant sudden death cases, 127

DOURNON, E. *see* LEVACHER, M.

DRUET, P. *see* TOURANDE, H.

DU BOIS, R.M. *see* MILBURN, H.J.

DUCKETT, D.P. *see* TAYLOR, G.M.

ECKLE, I., KOLB, G., HEISER, C. & HAVEMANN, K. Stimulation of neutrophil elastase and myeloperoxidase release by IgG fragments, 352

EDER, G. *see* LEIBL, H.

EDWARDS, J.H., ALFAHAM, M., FIFIELDS, R., PHILPOT, C., CLEMENT, M.J. & GOODCHILD, M.C. Sequential serological responses to *Aspergillus fumigatus* in patients with cystic fibrosis. Use of antigen 'stretching' to delineate IgG and IgE activity, 101

EEFTINCK SCHATTENKERK, J.K.M. *see* KLAASSEN, R.J.L.

EGUCHI, K., *see* MIYAZAKI, M.

EIBL, M.M. *see* LEIBL, H.

ELLIOTT, R.B. *see* REDDY, S.

EMERY, P. *see* BLOUNT, S.

ENDOH, M. *see* MIYAZAKI, M.
ESPERSEN, F. *see* PRESSLER, T.
EVEN, P. *see* ISRAËL-BIET, D.

FACCHINI, A. *see* MARIANI, E.
FAIRBURN, K. *see* MCHUGH, N.J.
FAMULARO, G., PROCOPIO, A., GIACOMELLI, R., DANESE, C., SACCHETTI, S., PEREGO, M.A. & TONIETTI, G. Soluble interleukin-2 receptor, interleukin-2 and interleukin-4 in sera and supernatants from patients with progressive systemic sclerosis, 368
FARRANT, J. *see* NORTH, M.E.
FASY, T.M. *see* MONESTIER, M.
FEIGE, U. *see* YANG, X.-D.
FEIZI, T. *see* MEHMET, H.
FELDMANN, M. *see* BRENNAN, F.M.
FERGUSSON, W.D. *see* TAYLOR, G.M.
FIFIELDS, R. *see* EDWARDS, J.H.
FISHELSON, Z. *see* SCHLESINGER, M.
FLEGG, P.J. *see* MACLEAN, C.
FOXWELL, B. *see* BRENNAN, F.M.
FRIEDMANN, P.S., REES, J., WHITE, S.I. & MATTHEWS, J.N.S. Low-dose exposure to antigen induces subclinical sensitization, 507
FROLAND, S.S. *see* MULLER, F.
FU, S.M. *see* JUNG, L.K.L.
FUJIWARA, M. *see* ITO, S.

GASSER, J. *see* YANG, X.-D.
GAUDERNACK, G. *see* MULLER, F.
GELPI, C., ALGUERO, A., ANGELES MARTINEZ, M., VIDAL, S., JUAREZ, C. & RODRIGUEZ-SANCHEZ, J.L. Identification of protein components reactive with anti-OM/Scl autoantibodies, 59
GEORGOULIAS, V. *see* ALLOUCHE, M.
GIACOMELLI, R. *see* FAMULARO, G.
GIRBAL, E. *see* VINCENT, C.
GOEDE, P.H. *see* VOORTHUIS, J.A.C.
GOODCHILD, M.C. *see* EDWARDS, J.H.
GOSSELIN, D. *see* LEMIEUX, S.
GOTO, M., TSAI, V. & ZVAIFLER, N.J. Characterization of the binucleated giant cells generated in the autologous mixed leucocyte reaction from patients with rheumatoid arthritis, 272
GRIFFIN, D.E., WARD, B.J., JAUREGUI, E., JOHNSON, R.T. & VAISBERG, A. Natural killer cell activity during measles, 218
GRIFFITHS, H. *see* BLOUNT, S.

HAAS, H., ANDERS, S., BORNKAMM, G.W., MANNWEILER, E., SCHMITZ, H., RADL, J. & SCHLAAK, M. Do infections induce monoclonal immunoglobulin components? 435
HABESHAW, J. *see* DALGLEISH, A.
HAGEBERG, H. *see* KARLSSON-PARRA, A.
HAMDOCH, T. *see* HUGO, F.
HAMMARSTRÖM, L. *see* SMITH, C.I.E.
HAMOU, M.F. *see* KUPPNER, M.C.
HAMZA, M. *see* HAMZAOUI, K.
HAMZAOUI, K., KAHAN, A., AYED, K. & HAMZA, M. Cytotoxic T cells against herpes simplex virus in Behçet's disease, 390
HANSON, M. *see* CLERIGUE, M.
HARTLEY, B. *see* PUSEY, C.D.
HAVEMANN, K. *see* ECKLE, I.
HAWKINS, P.N. & PEPYS, M.B. A primed state exists *in vitro* following histological regression in amyloidosis, 325
HAYNES, B.F. *see* JUNG, L.K.L.
HAYWARD, A.R., CLARKE, J. & COSYNS, M. $V_{\beta 5}$ and $V_{\beta 8}$ memory T cells in adults and infancy: co-ordinated increase in response to early antigen stimulus, 475
HEDFORS, E. *see* NYMAN, U.
HEISER, C. *see* ECKLE, I.
HIYAMA, Y. *see* NAKAJIMA, H.
HOGG, N. *see* BUCKLE, A.M.
HOIBY, N. *see* PRESSLER, T.
HOSODA, M. *see* MATSUMOTO, T.
HUBY, R. *see* BAYSTON, K.F.
HUGO, F., HAMDOCH, T., MATHEY, D., SCHAFFER, H. & BHAKDI, S. Quantitative measurement of SCb-9 and C5b-9(m) in infarcted areas of human myocardium, 132
HUNT GERARDO, S., PERSSELIN, J.E. & STEVENS, R.H. Human IgG anti-$F(ab')_2$ antibodies possess rheumatoid factor activity, 293
HUTCHINS, P. *see* MACDONALD, T.T.

ILONEN, J. *see* REIJONEN, H.
ILONEN, J., MÄKELÄ, M.J., ZIOLA, B. & SALMI, A.A. Cloning of human T cells specific for measles virus haemagglutinin and nucleoplasmid, 212
ISRAËL-BIET, D., VENET, A., BELDJORD, K., ANDRIEU, J.M. & EVEN, P. Autoreactive cytotoxicity in HIV-infected individuals, 18
ITO, S., UENO, M., ARAKAWA, M., SAITO, T., AOYAGI, T. & FUJIWARA, M. Therapeutic effect of 15-deoxyspergualin on the progression of lupus nephritis in MRL mice. I. Immunopathological analyses, 446
ITOH, Y., RADER, M.D. & REICHLIN, M. Heterogeneity of the Ro/SSA antigen and autoanti-Ro/SSA response: evidence of the four antigenically distinct forms, 45
ITZHAKI, M. *see* ALLOUCHE, M.

JAGGER, C.J. *see* DILLY, S.A.
JAMES, I.E. *see* MCHUGH, N.J.
JANOSSY, G. *see* AKBAR, A.N.
JASMIN, C. *see* ALLOUCHE, M.
JAUREGUI, E. *see* GRIFFIN, D.E.
JAYARAM, Y. *see* BUCKLE, A.M.
JEFFERIS, R. & KUMARARATNE, D.S. Selective IgG subclass deficiency: quantification and clinical relevance. Review, 357
JEUNHOMME, G.M.A.A. *see* LEEUWENBERG, J.F.M.
JOHNSON, R.T. *see* GRIFFIN, D.E.
JONES, R.A. *see* RICHARDS, S.J.
JONSSON, H. *see* NÄSSBERGER, L.
JUAREZ, C. *see* GELPI, C.
JUNG, L.K.L., HAYNES, B.F., NAKAMURA, S., PAHWA, S. & FU, S.M. Expression of early detection antigen (CD69) during human thymic development, 466

KAHAN, A. *see* HAMZAOUI, K.
KARLSSON, F.A. *see* KARLSSON-PARRA, A.
KARLSSON-PARRA, A., BURMAN, P., HAGEBERG, H., OBERG, K., ALM, G., KLRESKOG, L. & KARLSSON, F.A. Autoantibodies to epithelial cells in patients on long-term therapy with leucocyte-derived interferon-alpha (IFN-α), 72
KAWABE, T. *see* MATSUMOTO, T.
KILPATRICK, D.C. *see* MACLEAN, C.
KINO, K. *see* SATO, M.
KISHIMOTO, S. *see* DEGUCHI, Y.
KISHIMOTO, S. *see* DEGUCHI, Y.I.
KLAASSEN, R.J.L., MULDER, J.W., VLEKKE, A.B.J., EEFTINCK SCHATTENKERK, J.K.M., WEIGEL, H.M., LANGE, J.N.A. & VON DEM BORNE, A.E.G.K. Autoantibodies against peripheral blood cells appear early in HIV infection and their prevalence increases with disease progression, 11
KLEIN, R. & BERG, P.A. Anti-M9 antibodies in sera from patients with primary biliary cirrhosis recognize an epitope of glycogen phosphorylase, 65
KLRESKOG, L. *see* KARLSSON-PARRA, A.
KNIP, M. *see* REIJONEN, H.
KOCH, C. *see* PRESSLER, T.
KOJIMA, H. *see* SATO, M.
KOLB, G. *see* ECKLE, I.
KOMIYAKA, A. *see* YASUI, K.
KOSHIKAWA, S. *see* SATO, M.
KRISTENSSON, K. *see* BAKHIET, M.
KUMARARATNE, D.S. *see* JEFFERIS, R.
KUPPNER, M.C., VAN MEIR, E., HAMOU, M.F. & DE TRIBOLET, N. Cytokine regulation of intercellular adhesion molecule-1 (ICAM-1) expression on human glioblastoma cells, 142
KURAMOTO, T. *see* MIYAZAKI, M.

LANGE, J.N.A. *see* KLAASSEN, R.J.L.
LARKIN, M. *see* MEHMET, H.
LEBIEN, T.W. *see* MEHMET, H.
LECHLER, R. *see* AKBAR, A.N.
LEEUWENBERG, J.F.M., JEUNHOMME, G.M.A.A. & BUURMAN, W.A. Adhesion of polymorphonuclear cells to human endothelial cells.

Adhesion-molecule-dependent, and Fc receptor-mediated adhesion-molecule-independent mechanisms, 496
LEHUEN, A., ALTMAN, J., BACH, J.-F. & CARNAUD, C. Natural thymocytotoxic autoantibodies in non-obese diabetic (NOD) mice: characterization and fine specificity, 406
LEIBL, H., WOLF, H.M., EDER, G., MANNHALTER, J.W. & EIBL, M.M. Multiple infusions of human intravenous immunoglobulin in chimpanzees do not lead to immune elimination, 454
LEMIEUX, S., LUSIGNAN, Y., GOSSELIN, D. & TURCOTTE, R. Early accumulation of suppressor cell precursors in the spleen of *Mycobacterium lepraemurium*-infected mice and analysis of their *in vitro*-induced maturation, 116
LESTRA, H.C. *see* VINCENT, C.
LEVACHER, M., TALLET, S., DAZZA, M.C., DOURNON, E., ROUVEIX, B. & POCIDALO, J.J. T activation marker evaluation in ARC patients treated with AZT. Comparison with $CD4^+$ lymphocyte count in non-progressors and progressors towards AIDS, 177
LEVY, Y. *see* SCHLESINGER, M.
LOCKWOOD, C.M. *see* PUSEY, C.D.
LOMBARDI, G. *see* AKBAR, A.N.
LOVE, L.A. *see* MILLER, F.W.
LUDLAM, C. *see* DALGLEISH, A.
LUNARDI-ISKANDAR, Y. *see* ALLOUCHE, M.
LUNDBERG, I. *see* NYMAN, U.
LUNEC, J. *see* BLOUNT, S.
LUSIGNAN, Y. *see* LEMIEUX, S.

MACDONALD, T.T., HUTCHINS, P., CHOY, M.-Y., MURCH, S. & COOKE, A. Tumour necrosis factor-alpha and interferon-gamma production measured at the single cell level in normal and inflamed human intestine, 301
MACLEAN, C., FLEGG, P.J. & KILPATRICK, D.C. Anti-cardiolipin antibodies and HIV infection, 263
MACLENNAN, I.C.M. *see* CHAPPLE, M.R.
MADDISON, P.J. *see* MCHUGH, N.J.
MAINI, R. *see* BRENNAN, F.M.
MÄKELÄ, M.J. *see* ILONEN, J.
MALAN, A.F. *see* SAMSON, G.R.
MANDET, C. *see* TOURANDE, H.
MANNHALTER, J.W. *see* LEIBL, H.
MANNWELER, E. *see* HAAS, H.
MARIANI, A.R. *see* MARIANI, E.
MARIANI, E., RODA, P., MARIANI, A.R., VITALE, M., DEGRASSI, A., PAPA, S. & FACCHINI, A. Age-associated changes in $CD8^+$ and $CD16^+$ cell reactivity: clonal analysis, 479
MASUDA, M. *see* YASUI, K.
MATHEY, D. *see* HUGO, F.
MATSUMOTO, K. *see* ASANO, T.
MATSUMOTO, T., MIIKE, T., MIZOGUCHI, K., YAMAGUCHI, K., TAKATSUKI, K., HOSODA, M., KAWABE, T. & YODOI, J. Decreased serum levels of IgE and IgE-binding factors in individuals infected with HTLV-I, 207
MATSUOKA, T. *see* YASUI, K.
MATTHEWS, J.N.S. *see* FRIEDMANN, P.S.
MATUZAKI, G. *see* ASANO, T.
MCHUGH, N.J., JAMES, I.E., FAIRBURN, K. & MADDISON, P.J. Autoantibodies to mitochondrial and centromere antigens in primary biliary cirrhosis and systemic sclerosis, 244
MEHMET, H., LARKIN, M., TANG, P.W., LEBIEN, T.W. & FEIZI, T. Monoclonal antibody BA-1 to the human B lymphocyte marker CD24 recognizes a sialic acid (*N*-acetylnuraminic acid) dependent epitope in multi-valent display on peptide, 489
MEILOF, J.F. *see* VAN DAM, A.P.
MEYER, P. *see* ALLOUCHE, M.
MIIKE, T. *see* MATSUMOTO, T.
MILBURN, H.J., DU BOIS, R.M., PRENTICE, H.G. & POULTER, L.W. Pneumonitis in bone marrow transplant recipients results from a local immune response, 232
MILLER, F.W., LOVE, L.A., BARBIERI, S.A., BALOW, J.E. & PLOTZ, P.H. Lymphocyte activation markers in idiopathic myositis: changes with disease activity and differences among clinical and autoantibody groups, 373
MILLERON, B. *see* CADRANEL, J.
MIURA, M., *see* MIYAZAKI, M.
MIYAZAKI, M., ENDOH, M., SUGA, T., YANO, N., KURAMOTO, T., EGUCHI, K., YAGAME, M., MIURA, M., NOMOTO, Y. & SAKAI, H. Rheumatoid factor and glomerulonephritis, 250
MIZOGUCHI, K. *see* MATSUMOTO, T.
MONESTIER, M., FASY, T.M., DEBBAS, M.E. & BOHM, L. Specificities of IgM and IgG anti-histone H1 autoantibodies in autoimmune mice, 39
MÖLLER, G. *see* SMITH, C.I.E.
MONTÉ, D. *see* DAMONNEVILLE, M.
MORGAN, A. *see* PUSEY, C.D.
MULDER, J.W. *see* KLAASSEN, R.J.L.
MULLER, F., ROLLAG, H., GAUDERNACK, G. & FROLAND, S.S. Impaired *in vitro* survival of monocytes from patients with HIV infection, 25
MULLER, S. *see* BARAKAT, S.
MURATA, K. *see* YASUI, K.
MURCH, S. *see* MACDONALD, T.T.
MURRAY, J.S. & BROWN, J.C. Evidence that the Fc region of autologous rabbit IgG isolated before and after immunization is structurally different: recognition by rheumatoid factor and monoclonal antibodies, 286

NAKAJIMA, H., TAKAMORI, H., HIYAMA, Y. & TSUKADA, W. The effect of treatment with interferon-gamma on type II collagen-induced arthritis, 441
NAKAMURA, S. *see* JUNG, L.K.L.
NAVE, Z. *see* SCHLESINGER, M.
NOMOTO, K. *see* ASANO, T.
NOMOTO, Y. *see* MIYAZAKI, M.
NORTH, M.E., WEBSTER, A.D.B. & FARRANT, J. Role of interleukin-2 and interleukin-6 in the mitogen responsiveness of T cells from patients with 'common-variable' hypogammaglobulinaemia, 412
NYMAN, U., LUNDBERG, I., HEDFORS, E. & PETTERSSON, I. Recombinant 70-kD protein used for determination of autoantigenic epitopes recognized by anti-RNP sera, 52
NÄSSBERGER, L., SJÖHOLM, A.G., JONSSON, H., STURFELT, G. & ÅKESSON, A. Autoantibodies against neutrophil cytoplasm components in systemic lupus erythematosus and in hydralazine-induced lupus, 380

OBERG, K. *see* KARLSSON-PARRA, A.
OLSSON, T. *see* BAKHIET, M.

PAHWA, S. *see* JUNG, L.K.L.
PAPA, S. *see* MARIANI, E.
PASQUIER, R. *see* TOURANDE, H.
PATEL, D. *see* RICHARDS, S.J.
PEDERSEN, S.S. *see* PRESSLER, T.
PELLETIER, L. *see* TOURANDE, H.
PENG, H.-J., TURNER, M.W. & STROBEL, S. The generation of a 'tolerogen' after the ingestion of ovalbumin is time-dependent and unrelated to serum levels of immunoreactive antigen, 510
PEPYS, M.B. *see* HAWKINS, P.N.
PEREGO, M.A. *see* FAMULARO, G.
PEREZ, J. *see* CADRANEL, J.
PERSSELIN, J.E. *see* HUNT GERARDO, S.
PETTERSSON, I. *see* NYMAN, U.
PHILLIPPE, C. *see* CADRANEL, J.
PHILPOT, C., *see* EDWARDS, J.H.
PISA, P. *see* CLERIGUE, M.
PLOTZ, P.H. *see* MILLER, F.W.
POCIDALO, J.J. *see* LEVACHER, M.
POULTER, L.W. *see* MILBURN, H.J.
PRENTICE, H.G. *see* MILBURN, H.J.
PRESSLER, T., PEDERSEN, S.S., ESPERSEN, F., HOIBY, N. & KOCH, C. IgG subclass antibodies to *Pseudmonas aeruginosa* in sera from patients with *Ps. aeruginosa* infection investigated by ELISA, 428
PROCOPIO, A. *see* FAMULARO, G.
PUSEY, C.D., BOWMAN, C., MORGAN, A., WEETMAN, A.P., HARTLEY, B. & LOCKWOOD, C.M. Kinetics and pathogenicity of antibodies induced by mercuric chloride in the brown Norway rat, 76

RADER, M.D. *see* ITOH, Y.
RADL, J. *see* HAAS, H.
RAUTONEN, J. *see* RAUTONEN, N.
RAUTONEN, N., RAUTONEN, J. & SAVILAHTI, E. Influence of the Gm(n) allotype and age on IgG subclass distribution in antibodies to dietary proteins in children with coeliac disease, 306

RAZIUDDIN, S. *see* AL-KASSAB, A.S.
REDDY, S., BIBBY, N. & ELLIOTT, R.B. Longitudinal study of islet cell antibodies and insulin-autoantibodies and development of diabetes in non-obese diabetic (NOD) mice, 400
REES, J. *see* FRIEDMANN, P.S.
REICHLIN, M. *see* ITOH, Y.
REIJONEN, H., SILVENNOINEN-KASSINEN, S., ILONEN, J. & KNIP, M. Lack of association of T cell receptor beta-chain constant region polymorphism with insulin-dependent diabetes mellitus, 396
RICHARDS, S.J., JONES, R.A., ROBERTS, B.E., PATEL, D. & SCOTT, C.S. Relationship between 2H4 (CD45RA) and UCHL1 (CD45RO) expression by normal blood $CD4^+CD8^-$, $CD4^-CD8^+$, $CD4^-CD8^{dim+}$, $CD3^+CD4^-CD8^-$ and $CD3^-CD4^-CD8^-$ lymphocytes, 149
ROBERTS, B.E. *see* RICHARDS, S.J.
ROBSON, A.J. *see* TAYLOR, G.M.
RODA, P. *see* MARIANI, E.
RODRIGUEZ-SANCHEZ, J.L. *see* GELPI, C.
ROLLAG, H. *see* MULLER, F.
ROUVEIX, B. *see* LEVACHER, M.

SACCHETTI, S. *see* FAMULARO, G.
SAITO, T. *see* ITO, S.
SAKAI, H. *see* MIYAZAKI, M.
SALMI, A.A. *see* ILONEN, J.
SAMSON, G.R., BEATTY, D.W. & MALAN, A.F. Immune studies in infants with congenital syphilis, 315
SATO, M., KOJIMA, H., KINO, K. & KOSHIKAWA, S. Effects of neutral pepsin on the deposition of dietary antigens in glomeruli from IgA nephropathy, 137
SAVILAHTI, E. *see* RAUTONEN, N.
SCHAFFER, H. *see* HUGO, F.
SCHLAAK, M. *see* HAAS, H.
SCHLESINGER, M., NAVE, Z., LEVY, Y., SLATER, P.E. & FISHELSON, Z. Prevalence of hereditary properdin, C7 and C8 deficiencies in patients with meningococcal infections, 423
SCHMITZ, H. *see* HAAS, H.
SCHRIEBER, L. *see* TO, S.S.T.
SCOTT, C.S. *see* RICHARDS, S.J.
SEBBAG, M. *see* VINCENT, C.
SERRE, G. *see* VINCENT, C.
SEVERINSON, E. *see* SMITH, C.I.E.
SHIBATA, N. *see* DEGUCHI, Y.
SHIBATA, N. *see* DEGUCHI, Y.I.
SILVENNOINEN-KASSINEN, S. *see* REIJONEN, H.
SINCLAIR, A. *see* DALGLEISH, A.
SJÖHOLM, A.G. *see* NÄSSBERGER, L.
SLATER, P.E. *see* SCHLESINGER, M.
SLOANE, J.P. *see* DILLY, S.A.
SMEENK, R.J.T. *see* VAN DAM, A.P.
SMITH, C.I.E., MÖLLER, G., SEVERINSON, E. & HAMMARSTRÖM, L. Frequencies of interleukin-5 mRNA-producing cells in healthy individuals and in immunoglobulin-deficient patients, measured by *in situ* hybridization, 417
SOLEILHAVOUP, J.-P. *see* VINCENT, C.
STEEL, M. *see* DALGLEISH, A.
STEVENS, R.H. *see* HUNT GERARDO, S.
STOKES, R.W. & COLLINS, F.M. Passive transfer of immunity to *Mycobacterium avium* in susceptible and resistant strains of mice, 109
STOTT, D.I. Editorial Review: Lessons about antibody specificity in systemic lupus erythematosus from animal models, 1
STROBEL, S. *see* PENG, H.-J.
STURFELT, G. *see* NÄSSBERGER, L.
SUGA, T. *see* MIYAZAKI, M.
SUNDIN, U. Antibody binding and inhibition of pyruvate dehydrogenase (PDH) in sera from patients with primary biliary cirrhosis, 238

TAKAMORI, H. *see* NAKAJIMA, H.
TAKATSUKI, K. *see* MATSUMOTO, T.
TALLET, S. *see* LEVACHER, M.
TANG, P.W. *see* MEHMET, H.
TAYLOR, G.M., BRADDOCK, D., ROBSON, A.J., FERGUSSON, W.D., DUCKETT, D.P., D'SOUZA, S.W. & BRENCHLEY, P. Expression of LFA-1 by a lymphoblastoid cell line from a patient with monosomy 21: effects on intercellular adhesion, 501
TIMMS, A. *see* AKBAR, A.N.
TO, S.S.T. & SCHRIEBER, L. Effect of the leukotriene B_4 and prostaglandin E_2 on the adhesion of lymphocytes to endothelial cells, 160
TONIETTI, G. *see* FAMULARO, G.
TOURANDE, H., PELLETIER, L., PASQUIER, R., VIAL, M.C., MANDET, C. & DRUET, P. Graft-versus-host reactions in the rat mimic toxin-induced autoimmunity, 334
TSAI, L. *see* CLERIGUE, M.
TSAI, V. *see* GOTO, M.
TSUKADA, W. *see* NAKAJIMA, H.
TSUNO, T. *see* YASUI, K.
TURCOTTE, R. *see* LEMIEUX, S.
TURNER, M. *see* BRENNAN, F.M.
TURNER, M.W. *see* PENG, H.-J.

UENO, M. *see* ITO, S.
UITDEHAAG, B.M.J. *see* VOORTHUIS, J.A.C.

VAN DAM, A.P., MEILOF, J.F., VAN DEM BRINK, H.G. & SMEENK, R.J.T. Fine specificities of anti-nuclear antibodies in murine models of graft-*versus*-host disease, 31
VAISBERG, A. *see* GRIFFIN, D.E.
VAN DEM BRINK, H.G. *see* VAN DAM, A.P.
VAN DEN OORD, J.J. *see* DELABIE, J.
VAN DER MEIDE, P. *see* BAKHIET, M.
VAN DER MEIDE, P.H. *see* VOORTHUIS, J.A.C.
VAN MEIR, E. *see* KUPPNER, M.C.
VAN REGENMORTEL, M.H.V. *see* BARAKAT, S.
VARELA-MILLOT, C. *see* ALLOUCHE, M.
VENET, A. *see* ISRAËL-BIET, D.
VIAL, M.C. *see* TOURANDE, H.
VIDAL, S. *see* GELPI, C.
VINCENT, C., SERRE, G., BASILE, J.-P., LESTRA, H.C., GIRBAL, E., SEBBAG, M. & SOLEILHAVOUP, J.-P. Subclass distribution of IgG antibodies to the rat oesophagus stratum corneum (so-called anti-keratin antibodies) in rheumatoid arthritis, 83
VITALE, M. *see* MARIANI, E.
VLEKKE, A.B.J. *see* KLAASSEN, R.J.L.
VON DEM BORNE, A.E.G.K. *see* KLAASSEN, R.J.L.
VOORTHUIS, J.A.C. UITDEHAAG, B.M.J., DE GROOT, C.J.A., GOEDE, P.H., VAN DER MEIDE, P.H. & DIJKSTRA, C.D. Suppression of experimental allergic encephalomyelitis by intraventricullar administration of interferon-gamma in Lewis rats, 183

WANG, S.R. *see* CHUANG, J.C.
WARD, B.J. *see* GRIFFIN, D.E.
WEBER, J.C. *see* BARAKAT, S.
WEBSTER, A.D.B. *see* NORTH, M.E.
WEETMAN, A.P. *see* PUSEY, C.D.
WEIGEL, H.M. *see* KLAASSEN, R.J.L.
WHITE, S.I. *see* FRIEDMAN, P.S.
WOLF, H.M. *see* LEIBL, H.

YAGAME, M. *see* MIYAZAKI, M.
YAMAGUCHI, K. *see* MATSUMOTO, T.
YANG, X.-D., GASSER, J. & FEIGE, U. Prevention of adjuvant arthritis in rats by a nonapeptide from the 56-kD mycobacterial heat-shock protein, 189
YANO, N. *see* MIYAZAKI, M.
YASUI, K., MASUDA, M., TSUNO, T., MATSUOKA, T., KOMIYAKA, A., AKABANE, T. & MURATA, K. An increase in polymorphonuclear leucocyte chemotaxis accompanied by a change in the membrane fluidity with age during childhood, 156
YODOI, J. *see* MATSUMOTO, T.
YOSHIKAI, Y. *see* ASANO, T.
YU, C.L. *see* CHUANG, J.C.

ZIOLA, B. *see* ILONEN, J.
ZVAIFLER, N.J. *see* GOTO, M.

Subject Index

2H4, 149
ADCC, 5
AIDS, 263
ARC, 177
AZT, 177
Activated T lymphocytes, 177
Activated antigen, 496
Acute-phase protein, 329
Adhesion, 496
Adult T cell leukaemia, 207
Age, 306
Ageing, 479
Allergic bronchopulmonary aspergillosis, 101
Amino acids, 173
Amyloidosis, 325
Animal models, 1
Anti-F(ab′)$_2$ antibodies, 293
Anti-Jo-1, 373
Anti-M9, 65
Anti-Ro/SSA, 45
Anti-cardiolipin antibodies, 263
Anti-class II T cells, 334
Anti-DNA antibodies, 1, 384, 446
Anti-elastase, 380
Anti-histone, 39
Anti-keratin antibodies, 83
Anti-mitochondrial antibodies, 65, 244
Anti-myeloperoxidase, 380
Anti-neutrophil cytoplasm antibodies, 380
Anti-nuclear, 59
Anti-nuclear antibodies, 31, 59
Anti-phospholipid antibodies, 263
Antibodies, 238
Antibody deficiency, 357
Antigen fractionation, 101
Antigen processing, 510
Arthritis, 441
Aspergillus fumigatus, 101
Autoantibodies, 31, 52, 72
Autoantibody specificity, 1
Autoimmune, 90
Autoimmunity, 11, 76, 189
Autoimmunity, toxin-induced, 334
Autologous mixed lymphocyte reaction, 272
Autoreactivity, 18

B cell differentiation antigen, 489
B cell growth factor activity, 368
B lymphocytes, 166
B220$^+$CD4$^+$, 90
B220$^-$CD4$^+$, 90
BA-1 antigen, 489
Behçet's disease, 390
Beta-chain constant region, 396
Binding, 160
Blood mononuclear cells, 319
Bone marrow transplantation, 127, 232
Bone marrow transplantation, murine, 329
Bone marrow, 127, 166
Bronchoalveolar lavage, 232
Brown Norway rats, 76

C7, 423
C8, 423
CD24, 489
CD4 lymphocytes, 177
CD45, 149
CD45R, CDw29, 267
CD69, 466
cDNA, 52
Capsular bacterial infections, 357
Chimpanzees, 454
Clinical relevance, 5
Clonal analysis, 479
Colony-stimulating factor, 339
Common variable immunodeficency, 417
Congenital syphilis, 315
Contact hypersensitivity, 507
Crohn's disease, 301
Cystic fibrosis, 101, 428
Cytokines, 142, 195
Cytolytic activity, 18
Cytomegalovirus mononucleosis, 435
Cytotoxic T cells, 390

DNCB, 507
Delayed hypersensitivity, 123
Delayed-type hypersensitivity, 510
Development, 466
Diabetes, 400
Diabetes mellitus, 267
Dietary antibodies, 306
Differentiation antigens, 475
Diffuse proliferative lupus nephritis, 250

ELISA, 39, 238, 256
Effector functions of platelets, 346
Elastatse, 352
Endothelial cells, 160
Endothelium, 496
Epibodies, 293
Epithelial cells, 72
Experimental allergic encephalomyelitis, 183
Expression vectors, 52

Fc receptor, 496
FcγR, 339
FcnII, 207
Fibrosis, 97

Gene dosage, 501
Gene transcription, 97, 311
Genetic deficiency, 423
Giant cells, 272
Glioblastoma, 142
Glomerular deposition, 137
Glomerulonephritis, 250
Glycogen phosphorylase, 65
Gm allotypes, 306
Graft-*versus*-host disease, 31, 329
Graft-*versus*-host reactions, 334
Granuloma, 123

HIV infection, 11
HIV, 18, 25, 200, 263
HIV-1, 5
HTLV-I, 207
Haematopoiesis, 459
Haemophilia, 5
Heat shock protein, 97, 189
Herpes simplex virus, 390
Heterogeneity, 45

Homotypic adhesion, 501
Human, 507
Human interleukin-5, 417
Human thymus, 466
Human urinary pepsin, 137
Humoral antibodies, 400
Hydralazine, 380
Hypogammaglobulinaemia, 412

ICAM-1, 142
Ia antigen expression, 183
Idiopathic inflammatory myopathy, 373
IgA deficiency, 417
IgA nephropathy, 137
IgE binding factors, 207
IgE, 207
IgG fragments, 352
IgG subclass antibodies, 428
IgG subclasses, 83, 238, 306, 357, 454
IgG/IgE response, 101
Immune complexes, 315, 446
Immune response, 315
Immunity development, 475
Immunodeficiency, 417
Immunohistochemistry, 123
Immunohistology, 127, 485
Immunosuppressant, 446
Immunosuppression, 195
In vitro survival, 25
Inflammatory arthritis, 189
Insulin-dependent diabetes mellitus, 396
Interferon, 218
Interferon-alpha, 72
Interferon-gamma, 183, 301, 339, 441
Interleukin-1, 278
Interleukin-2, 200, 218, 368, 412, 459
Interleukin-2 receptor, 267
Interleukin-4, 368
Interleukin-5, human, 417
Interleukin-6, 412
Intravenous gammaglobulin, 454
Isoforms, 45

Kidney rejection, 225
Kupffer cells, 485

LFA-1, 501
Leucocyte common antigen, 225
Leukotriene B_4, 160
Liver, 485
Long-term IVIG treatment, 454
lpr, 90
Lymphoblastoid cell line, 501
Lymphocyte activation markers, 373
Lymphocyte proliferation, 173
Lymphocytes, 127, 149, 160, 232, 479
Lymphokine-activated killer cells, 459
Lysozyme, 485

MHC class I antigens, 195
Macrophages, 25, 485
Measles virus, 212
Measles, 218
Membrane fluidity, 156
Memory cytotoxic cells, 225
Meningococcal infections, 423
Mercuric chloride, 76
Mice, susceptible, 109
Mitogen responses, 412
Mixed connective tissue disease, 52
Monoclonal immunoglobulin components, 435
Monoclonal, 286
Monocytes, 25, 339
Monosomy 21, 501
Murine bone marrow transplantation, 329
Murine lupus, 446
Murine models, 31
Mycobacterial infection, 116
Mycobacterium avium, 109
Mycobacterium lepraemurium, 116
Myeloperoxidase, 352
Myocardial infarction, 132

N-formylmethionyl-leucyl-phenylalanine, 156
NOD mice, 400, 406
Natural autoantibodies, 406
Natural killer cells, 218
Natural thymocytotoxic autoantibodies, 406
Neurons, 195
Neutropenia, 11
Neutrophils, 339, 352, 496
Nuclear antigens, 1

Oligosaccharide, 286
Ontogeny, 400
Oral tolerance, 510
Ovalbumin, 510

PM/Scl, 59
Polymorphonuclear leucocytes, 156
Pathogenesis, 11
Pepsin, human urinary, 137
Phenotypes, 166
Phorbol myristate acetate, 200
Phosphorylation, 466
Phytohaemagglutinin, 173
Pneumonitis, 232
Polyclonal activation, 76
Polyclonal B cell activation, 446
Polymorphism, 396
Polymyositis, 373
Polymyositis/scleroderma, 59
Prediction, 400
Primary biliary cirrhosis, 238, 244
Prognosis, 5
Progressive systemic sclerosis, 368
Properdin, 423
Prostaglandin E_2, 160
Prostaglandin, 319
Protective T cells, 109
Pseudomonas aeruginosa, 428
Pyruvate dehydrogenase, 238

Rat, 183, 334
Reactive oxygen species, 384
Release, 352
Resistant, 109
Resistant mice, 109
Rheumatoid arthritis, 83, 272, 278, 293
Rheumatoid factors, 286, 293
Rheumatoid fever, 250

Schistosoma mansoni, 346
Scleroderma, 97
Serum amyloid P component, 325
Serum amyloid P, 329
Sialic acid, 489
Sialoglycopeptide, 489
Sjögren's syndrome, 45
Sm-D polypeptide, 256
snRNP, 52
Soluble interleukin-2 receptor, 368
Soybean protein, 137
Sub-clinical, 507
Substance P, 346
Suppression, 183
Suppressor cell precursors, 116
Susceptible mice, 109

Synthetic peptides, 256
Systemic lupus erythematosus, 1, 31, 39, 45, 90, 256, 380, 384
Systemic sclerosis, 244
Systemic vasculitis, 311

T cell activation, 200
T cell activation antigen, 466
T cell clones, 212
T cell colonies, 200
T cell receptor, 396
T cells, 267, 412
T lymphocyte memory, 475
T lymphocytes, activated, 177
Terminal complement complex, 132
Thrombocytopenia, 11
Tolerogen, 510
Toxin-induced autoimmunity, 334
Transforming growth factor-beta, 278
Tuberculosis, 319
Tumour necrosis factor, 278, 301, 311, 319
Type I diabetes, 406
Type II collagen, 441

UCHL1, 149
Visceral leishmania, 435